


Introduction



- a novel framework for tackling large-scale global optimization (CCVIL), which cooperates variable interaction learning mechanism (VIL) and cooperative coevolution (CC)
- CCVIL is significantly better than DECC-G and MLCC (two state-of-the-art CC-based algorithms), the internal optimizer JADE

Theoretical Base for Interaction Learning

Separable Function


A function is **separable**, if it satisfies the Equation 1

$$\arg \min_{(x_1, \dots, x_N)} f(x_1, \dots, x_N) = \left(\arg \min_{(x_1)} f(x_1, \dots), \dots, \arg \min_{(x_N)} f(\dots, x_N) \right) \quad (1)$$

Variable Interactions

Define **interaction** between dimension i and j of decision vector as follow:


$$\exists \bar{x}, x'_i, x'_j: f(x_1, \dots, x_i, \dots, x_j, \dots, x_N) < f(x_1, \dots, x'_i, \dots, x'_j, \dots, x_N) \wedge f(x_1, \dots, x_i, \dots, x'_j, \dots, x_N) > f(x_1, \dots, x'_i, \dots, x'_j, \dots, x_N)$$




Cooperative Coevolution

Basic Steps of CC


- divide the **decision vector** into groups of variables
- evolve each subpopulation by groups
- combine the best representatives from all other dimensions to compose the vector for fitness evaluation




Cooperate Variable Interactions within CC



Interaction Learning Procedure




Experimental Result



The Importance of Exact Grouping

6 benchmark functions CEC'2010 special session on large-scale global optimization, different degree of separability.




CCVIL: A Two Stage Approaches

1 Learning Stage

- population size = 3, generation limit for each subcomponent = 1
- population re-initialization in each cycle
- the sequence of the dimensions to optimize is randomly permuted in each cycle
- store the learned interaction knowledge in *groupInfo*


2 Optimization Stage

- apply a certain EA as the sub-optimizer (in our case, it is JADE)
- evolve the subpopulation in CC with respect to *groupInfo*



Discussion and Conclusion

- Proper grouping strategy is essential in CC
- Although VIL employed in this paper need vast computational effort, CCVIL still achieve performance
- It is worthy developing a more effective learning strategy
- The effectiveness of CCVIL within real-world application domain is still unknown



Contact

Email: {chenwx¹, zhyuyang³}@mail.ustc.edu.cn; {tweise², ketang⁴}@ustc.edu.cn
WWW: home.ustc.edu.cn/~{chenwx¹, zhyuyang³}; it-weise.de²; staff.ustc.edu.cn/~ketang⁴

Acknowledgement

This work is partially supported by two National Natural Science Foundation of China grants (No. 60802036 and No. U0835002).

```
@inproceedings{CWYT2010LSGOUCCWVIL,  
  title      = {Large-Scale Global Optimization using Cooperative  
               Coevolution with Variable Interaction Learning},  
  author     = {Wenxiang Chen and Thomas Weise and Zhenyu Yang  
               and Ke Tang},  
  booktitle  = {PPSN 2010 -- 11th International Conference on  
               Parallel Problem Solving From Nature},  
  pages     = {300--309},  
  month     = sep # {~11--15,},  
  year      = {2010},  
  location  = {AGH University of Science and Technology, Krak{\o}w,  
               Poland},  
  publisher  = {Springer},  
  address   = {Berlin, Germany},  
  series    = {Lecture Notes in Computer Science (LNCS),  
               SL 1 -- Theoretical Computer Science and General  
               Issues},  
  isbn     = {3-642-15870-6, 978-3-642-15870-4},  
  lccn     = {2010934114},  
  keywords  = {Numerical Optimization, Large-Scale Optimization,  
               Cooperative Coevolution, CC,  
               Variable Interaction Learning, CCVIL,  
               Incremental Group Strategy, Variable Interactions,  
               CEC2010, JADE, DECC-G, MLCC, mJade, Epistasis,  
               Linkage Learning},  
}
```